



Action Wood

SYSTEM TYPE: FIXED



Maple Parquet is adhered directly to existing surface.

Low profile and low cost make this solution ideal for retrofit and remodeling projects.

NORTHERN HARD MAPLE BY ACTION:

Parquet is available in 7/16" thickness. 7/8" wide pickets assembled into nominal 9"x18" panels. 2nd & btr, 3rd, or 3rd & btr grades available, Boston Square by special order only.

TESTING AGENCY:

Certified by ISSS

PERFORMANCE MEETS OR EXCEEDS:

SLAB DEPRESSION:

7/16" (11 mm)

LEED:




FloorScore®-certified
Proprietary certified EPD®
FSC®-certified Maple and Subfloor available
MR credits – based on products, selected materials and facility locations

PERFORMANCE AND SYSTEM STABILITY:

- Factory fabricated maple panel system
- Superior stability and strength
- System design provides solid blocking characteristic
- Adhered system confirms uniform performance



- Action Wood Floor system provides great ball response and uniform playability. Low profile allows for a wide variety of new and retrofit applications.
- Factory fabricated parquet panel allows for installation on existing concrete, plywood or resilient subfloor surface.
- The manufacturer and flooring shall be independently verified by the guidelines of the ISO 14040:2006 and ISO 14044:2006 Life Cycle Assessment (LSA) confirming a negative carbon footprint.
- Carbon Evaluation must be inclusive and based on all corporate facilities, offices and mills.
- The manufacturer and flooring shall be independently verified by the guidelines of the ISO 14040:2006 World Resources Institute Greenhouse Gas Protocol, Scope 1, 2 and 3.
- The manufacturer and flooring shall be registered in the Collaborative for High Performance Schools (CHPS) Product Database.
- Floor system manufacturer must provide a Life Cycle Assessment and an Environmental Product Declaration (EPD®) in accordance with the Product Category Rule Version 2.2014.
- Floor system manufacturer must be FloorScore® Certified in accordance with CDPH 01350.



ActionWood
2024.07.01

Complete product specifications and system drawings are available online at: www.actionfloors.com



ACTION FLOOR SYSTEMS, LLC
4781 N. US Hwy 51 • Mercer, WI 54547
TOLL FREE: 800-746-3512 • VOICE: 715-476-3512
FAX: 715-476-3585 • EMAIL: info@actionfloors.com
actionfloors.com

Rev 12/17